

This list is the **47th Edition**. Laboratories are listed according to WHO regions and within the region in the alphabetical order. Kindly ensure that the most current list is used. For changes to the list, see Version history (below the list).

| The Quality Control Laboratory and contact details | Date of last inspection ¹ | Final outcome | Date of pre-qualification | The area of expertise inspected and considered prequalified | | |
|--|--------------------------------------|--|---------------------------|---|--|---|
| WHO South-East Asia Region | | | | | | |
| | | | | <i>Type of analysis</i> | <i>Finished products</i> | <i>Active pharmaceutical ingredients</i> |
| Bureau of Drug and Narcotic (BDN) Department of Medical Sciences Ministry of Public Health 88/7 Tiwanond Road Muang Nonthaburi 11000 Thailand Tel: + 66 2580 4074 or +66 2951 0000 ext. 99122 or 99179 Fax: +66 2580 5733 e-mail: suratchanee.s@dmsc.mail.go.th boontarika.b@dmsc.mail.go.th | 3.11-4.11.2014 | Compliant with WHO recommended standards | 02.11.2012 | Physical/Chemical analysis | pH, viscosity, loss on drying, particle size, water content, disintegration, dissolution, uniformity of dosage units (mass, content) | pH, refractive index, optical rotation, viscosity, melting point, loss on drying, sulphated ash, acid insoluble ash, water content, differential scanning calorimetry |
| | | | | Identification | HPLC (UV-Vis detection), LC/MS, GC (FID), TLC, UV-Vis | HPLC (UV-Vis detection), LC/MS, GC (FID), TLC, UV-Vis |
| | | | | | spectrophotometry, FTIR, basic tests | spectrophotometry, FTIR, basic tests |
| | | | | Assay, impurities and related substances | HPLC (UV-Vis), GC (FID), TLC, UV-Vis spectrophotometry, AAS, fluorimetry, polarimetry, potentiometry | HPLC (UV-Vis), GC (FID), TLC, UV-Vis spectrophotometry, AAS, fluorimetry, polarimetry, potentiometry |